

Name	: Mr. ASHWANI MEHTA	Age	: 31 Years
Lab No.	: 463979913	Gender	: Male
Ref By	: Self	Reported	: 2/5/2024 6:19:16PM
Collected	: 2/5/2024 7:00:00AM	Report Status	: Interim
A/c Status	: P	Processed at	: Dr. Lal PathLabs Ltd. Ambala Haryana
Collected at	: MULLANA CC SHOP NO-1, VILLAGE BUDIAN MULLANA		

Test Report

Test Name	Results	Units	Bio. Ref. Interval
-----------	---------	-------	--------------------

SwasthFit Super 4

GLUCOSE, FASTING (F) (GOD-POD)

Glucose Fasting			_Please Repeat Sample due to technical reason
-----------------	--	--	---

VITAMIN B12; CYANOCOBALAMIN (ECLIA)

Vitamin B12; Cyanocobalamin	177.80	pg/mL	211.00 - 946.00
-----------------------------	--------	-------	-----------------

Notes

1. Interpretation of the result should be considered in relation to clinical circumstances.
2. It is recommended to consider supplementary testing with plasma Methylmalonic acid (MMA) or plasma homocysteine levels to determine biochemical cobalamin deficiency in presence of clinical suspicion of deficiency but indeterminate levels. Homocysteine levels are more sensitive but MMA is more specific
3. False increase in Vitamin B12 levels may be observed in patients with intrinsic factor blocking antibodies, MMA measurement should be considered in such patients
4. The concentration of Vitamin B12 obtained with different assay methods cannot be used interchangeably due to differences in assay methods and reagent specificity

VITAMIN D, 25 - HYDROXY, SERUM (ECLIA)

Vitamin D, 25 Hydroxy	<15.00	nmol/L	75.00 - 250.00
-----------------------	--------	--------	----------------

Interpretation

LEVEL	REFERENCE RANGE IN nmol/L	COMMENTS
Deficient	< 50	High risk for developing bone disease
Insufficient	50-74	Vitamin D concentration which normalizes Parathyroid hormone concentration
Sufficient	75-250	Optimal concentration for maximal health benefit
Potential intoxication	>250	High risk for toxic effects



Name : Mr. ASHWANI MEHTA
Lab No. : 463979913
Ref By : Self
Collected : 2/5/2024 7:00:00AM
A/c Status : P
Collected at : MULLANA CC
SHOP NO-1, VILLAGE BUDIAN MULLANA

Age : 31 Years
Gender : Male
Reported : 2/5/2024 6:19:16PM
Report Status : Interim
Processed at : Dr. Lal PathLabs Ltd.
Ambala Haryana

Test Report

Test Name	Results	Units	Bio. Ref. Interval
-----------	---------	-------	--------------------

Note

- The assay measures both D2 (Ergocalciferol) and D3 (Cholecalciferol) metabolites of vitamin D.
- 25 (OH)D is influenced by sunlight, latitude, skin pigmentation, sunscreen use and hepatic function.
- Optimal calcium absorption requires vitamin D 25 (OH) levels exceeding 75 nmol/L.
- It shows seasonal variation, with values being 40-50% lower in winter than in summer.
- Levels vary with age and are increased in pregnancy.
- A new test Vitamin D, Ultrasensitive by LC-MS/MS is also available

THYROID PROFILE, TOTAL, SERUM (ECLIA)

T3, Total	1.51	ng/mL	0.80 - 2.00
T4, Total	6.49	µg/dL	5.10 - 14.10
TSH	6.76	µIU/mL	0.27 - 4.20

Note

1. TSH levels are subject to circadian variation, reaching peak levels between 2 - 4.a.m. and at a minimum between 6-10 pm . The variation is of the order of 50% . hence time of the day has influence on the measured serum TSH concentrations.
2. Alteration in concentration of Thyroid hormone binding protein can profoundly affect Total T3 and/or Total T4 levels especially in pregnancy and in patients on steroid therapy.
3. Unbound fraction (Free,T4 /Free,T3) of thyroid hormone is biologically active form and correlate more closely with clinical status of the patient than total T4/T3 concentration
4. Values <0.03 uIU/mL need to be clinically correlated due to presence of a rare TSH variant in some individuals



Name	: Mr. ASHWANI MEHTA	Age	: 31 Years
Lab No.	: 463979913	Gender	: Male
Ref By	: Self	Reported	: 2/5/2024 6:19:23PM
Collected	: 2/5/2024 7:00:00AM	Report Status	: Interim
A/c Status	: P	Processed at	: Dr. Lal PathLabs Ltd.
Collected at	: MULLANA CC SHOP NO-1, VILLAGE BUDIAN MULLANA		: Ambala Haryana

Test Report

Test Name	Results	Units	Bio. Ref. Interval
HbA1c (GLYCOSYLATED HEMOGLOBIN), BLOOD (HPLC, NGSP certified)			
HbA1c	5.3	%	4.00 - 5.60
Estimated average glucose (eAG)	105	mg/dL	

Interpretation

HbA1c result is suggestive of non diabetic adults (>=18 years)/ well controlled Diabetes in a known Diabetic

Interpretation as per American Diabetes Association (ADA) Guidelines

Reference Group	Non diabetic adults >=18 years	At risk (Prediabetes)	Diagnosing Diabetes	Therapeutic goals for glycemic control
HbA1c in %	4.0-5.6	5.7-6.4	>= 6.5	<7.0

Note: Presence of Hemoglobin variants and/or conditions that affect red cell turnover must be considered, particularly when the HbA1C result does not correlate with the patient's blood glucose levels.

FACTORS THAT INTERFERE WITH HbA1C MEASUREMENT	FACTORS THAT AFFECT INTERPRETATION OF HbA1C RESULTS
Hemoglobin variants, elevated fetal hemoglobin (HbF) and chemically modified derivatives of hemoglobin (e.g. carbamylated Hb in patients with renal failure) can affect the accuracy of HbA1c measurements	Any condition that shortens erythrocyte survival or decreases mean erythrocyte age (e.g., recovery from acute blood loss, hemolytic anemia, HbSS, HbCC, and HbSC) will falsely lower HbA1c test results regardless of the assay method used. Iron deficiency anemia is associated with higher HbA1c



Name : Mr. ASHWANI MEHTA
 Lab No. : 463979913
 Ref By : Self
 Collected : 2/5/2024 7:00:00AM
 A/c Status : P
 Collected at : MULLANA CC
 SHOP NO-1, VILLAGE BUDIAN MULLANA

Age : 31 Years
 Gender : Male
 Reported : 2/5/2024 6:19:28PM
 Report Status : Interim
 Processed at : Dr. Lal PathLabs Ltd.
 Ambala Haryana

Test Report

Test Name	Results	Units	Bio. Ref. Interval
COMPLETE BLOOD COUNT; CBC (Electrical Impedence,Manual)			
Hemoglobin	15.10	g/dL	13.00 - 17.00
Packed Cell Volume (PCV)	43.30	%	40.00 - 50.00
RBC Count	4.75	mill/mm3	4.50 - 5.50
MCV	91.00	fL	83.00 - 101.00
MCH	31.80	pg	27.00 - 32.00
MCHC	34.90	g/dL	31.50 - 34.50
Red Cell Distribution Width (RDW)	10.80	%	11.60 - 14.00
Total Leukocyte Count (TLC)	5.40	thou/mm3	4.00 - 10.00
Differential Leucocyte Count (DLC)			
Segmented Neutrophils	40.60	%	40.00 - 80.00
Lymphocytes	53.40	%	20.00 - 40.00
Monocytes	1.80	%	2.00 - 10.00
Eosinophils	4.20	%	1.00 - 6.00
Basophils	0.00	%	<2.00
Absolute Leucocyte Count			
Neutrophils	2.19	thou/mm3	2.00 - 7.00
Lymphocytes	2.88	thou/mm3	1.00 - 3.00
Monocytes	0.10	thou/mm3	0.20 - 1.00
Eosinophils	0.23	thou/mm3	0.02 - 0.50
Basophils	0.00	thou/mm3	0.02 - 0.10
Platelet Count	150	thou/mm3	150.00 - 410.00
Mean Platelet Volume	10.9	fL	6.5 - 12.0

Note

- As per the recommendation of International council for Standardization in Hematology, the differential leucocyte counts are additionally being reported as absolute numbers of each cell in per unit volume of



Name : Mr. ASHWANI MEHTA
Lab No. : 463979913
Ref By : Self
Collected : 2/5/2024 7:00:00AM
A/c Status : P
Collected at : MULLANA CC
SHOP NO-1, VILLAGE BUDIAN MULLANA

Age : 31 Years
Gender : Male
Reported : 2/5/2024 6:19:28PM
Report Status : Interim
Processed at : Dr. Lal PathLabs Ltd.
Ambala Haryana

Test Report

Test Name	Results	Units	Bio. Ref. Interval
blood			
2. Test conducted on EDTA whole blood			



Dr. Samriti Gupta
MBBS, MD (Pathology)
Chief of Lab



Result/s to follow:
LIVER & KIDNEY PANEL, SERUM, LIPID SCREEN, SERUM

IMPORTANT INSTRUCTIONS

•Test results released pertain to the specimen submitted. •All test results are dependent on the quality of the sample received by the Laboratory. •Laboratory investigations are only a tool to facilitate in arriving at a diagnosis and should be clinically correlated by the Referring Physician. •Report delivery may be delayed due to unforeseen circumstances. Inconvenience is regretted. •Certain tests may require further testing at additional cost for derivation of exact value. Kindly submit request within 72 hours post reporting. •Test results may show interlaboratory variations. •The Courts/Forum at Delhi shall have exclusive jurisdiction in all disputes/claims concerning the test(s) & or results of test(s). •Test results are not valid for medico legal purposes. •This is computer generated medical diagnostic report that has been validated by Authorized Medical Practitioner/Doctor. •The report does not need physical signature.

(#) Sample drawn from outside source.

If Test results are alarming or unexpected, client is advised to contact the Customer Care immediately for possible remedial action.

Tel: +91-11-49885050, Fax: - +91-11-2788-2134, E-mail: lalpathlabs@lalpathlabs.com

